



Mix & match in any combination up to six:

- Flow
- pH
- ORP
- Conductivity
- Resistivity
- Temperature
- Pressure
- Level
- Turbidity
- Other - (accepts 4-20mA input)



Discover The Power of Simplicity

**Signet 8900
Multi-Channel,
Multi-Parameter Controller**

Member of the ProcessPro®
Family of Instruments




GEORG FISCHER
PIPING SYSTEMS

Signet 8900 Multi-Channel, Multi-Parameter Controller



Absolute Input Versatility!

Mix and Match up to Six!



Sensor Compatibility

Absolute input versatility allows mixing and matching of measurement types up to six channels.

- Up to two of the possible six input channels may be used for Signet flow sensors with **frequency** output. A wide variety of sensors with **S³L** (digital) output make up the balance.
- The 8058 "Analog to S³L" Signal Converter enables any 4-20 mA signal to be used as input to the 8900.
- pH and Conductivity sensors include temperature sensors. These "secondary" measurements are treated by the 8900 as separate sensors with respect to display, output and relay functionality, but they DO NOT consume separate input channels!

Flow Sensors

Paddlewheels



515
Freq.



2536
Freq.



525
Freq.



2540
Freq.



2537
Freq. S³L

Insertion Magmeters



2551
Freq. S³L



2552
Freq. S³L

Turbine, Mini & Micro Flow



2100
Freq.



2000
Freq.



2507
Freq.

Analytical Sensors

pH & ORP



2750
S³L



3719

Cond/Res



2850
S³L

Others

Level, Pressure, Temperature, Other (i.e., Turbidity)



2250
S³L



2450
S³L



2350
S³L

8058 4-20 mA Signal Converter



8058-1



8058-2
S³L


Signet 8900 Multi-Channel, Multi-Parameter Controller




Extreme Modularity!

The Signet 8900 takes the concept of modularity to the extreme.

- Two base-units, one with back-lit LCD and the other with Vacuum Fluorescent display can be configured in the field.
- Ultimate flexibility is achieved via plug-in modules:
 - Two, four or six input channels
 - Universal AC line voltage or 12 to 24 VDC power
 - Up to four analog outputs
 - Up to four relays
- The 8900 will support up to four additional relays, for a total of eight, by way of external relay modules.
- Controller capabilities include Advanced Relay Logic, Derived Measurements, and much more!




External Relay Modules
(ordered separately)



Removable Terminals
Easy Wiring!


Sensor Wiring Options

In addition to traditional Point-to-Point sensor wiring, digital bus connectivity allows several sensors of similar and/or different types to share the same wiring in Daisy-Chain and/or Multi-Drop configurations! No special cable required! Use standard 3-conductor cable (terminals accept 12-24 AWG wire). Some combination of these schemes, depending upon the layout of your system, will minimize wire usage. Installation cost and time savings can be substantial.




Traditional Point-to-Point

Sensors are wired independently and directly to the controller.



Daisy-Chain

Sequential connection of one sensor to another... especially useful when multiple sensors will be installed relatively close together and away from the controller.



Multi-Drop

Sensor "branches" are connected to a common run via junction boxes. This scheme is convenient when dealing with multiple vertical runs and/or lateral segments.

Signet 8900 Multi-Channel, Multi-Parameter Controller



Two Easy Ways to Order!

1. Individual components for easy stocking and spare parts (this page),
or
2. Pre-configured at the factory for simple installation and immediate use (next page).

Mfr. Part No.	Code	Description	Quantity
Base units, required; choose one			
3-8900	159 000 868	Base unit with back-lit LCD	
3-8900-VF	159 000 869	Base unit with Vacuum Fluorescent display	
Power modules, required; choose one			
3-8900.402-1	159 000 878	110/220 VAC Power Module	
3-8900.402-2	159 000 879	12 to 24 VDC Power Module	
I/O (input/output) modules, required; choose one*			
3-8900.401-1	159 000 870	Dual (2) Input (no outputs)	
3-8900.401-2	159 000 871	Dual (2) Input with Two Passive Loop Outputs	
3-8900.401-3	159 000 872	Dual (2) Input with Two Active Loop Outputs	
3-8900.401-4	159 000 873	Dual (2) Input with Two Voltage Outputs	
3-8900.401-5	159 000 874	Quad (4) Input (no outputs)	
3-8900.401-6	159 000 875	Quad (4) Input with Two Passive Loop Outputs	
3-8900.401-7	159 000 876	Quad (4) Input with Two Active Loop Outputs	
3-8900.401-8	159 000 877	Quad (4) Input with Two Voltage Outputs	
3-8900.401-9	159 000 968	Six Inputs (no outputs)	
3-8900.401-10	159 000 969	Six Inputs with Two Passive Loop Outputs	
3-8900.401-11	159 000 970	Six Inputs with Two Active Loop Outputs	
3-8900.401-12	159 000 971	Six Inputs with Two Voltage Outputs	
Optional output modules - choose one*			
3-8900.405-1	159 000 883	Two Passive Current Loop Outputs	
3-8900.405-2	159 000 884	Two Active Current Loop Outputs	
3-8900.405-3	159 000 885	Two 0 to 5 and/or 0 to 10 VDC Outputs	
Optional relay modules - choose one or two*			
3-8900.403-1	159 000 880	Two Dry Contact Relays	
3-8900.403-2	159 000 881	Two Solid State Relays	
Optional external relays - choose one*			
3-8059-2	159 000 770	Two dry-contact relays; requires 12 to 24 VDC	
3-8059-2AC	159 000 771	Two dry-contact relays; requires 100 to 240 VAC; supplies power to the 12 to 24 VDC power module	
3-8059-4	159 000 772	Four dry-contact relays; requires 12 to 24 VDC	
3-8059-4AC	159 000 773	Four dry-contact relays; requires 100 to 240 VAC; supplies power to the 12 to 24VDC power host device	

Let us Configure it For You!

Use the Signet 8900 Configurator to tailor controllers to your needs and receive them fully-assembled and ready to install...

and at no extra cost to you!

For Example: to order a backlit LCD with (2) inputs, AC powered, (4) Dry contact relays, and (2) active 4-20 mA outputs —

Use part number
3-8900 - L - 2 - AC - 4D - 2A

For compatible sensors, see page 3.



	Display	Input	Power	Relay	Output
3-8900-	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Display					
Backlit LCD	L				
Vacuum Fluorescent	V				
Inputs					
Two Inputs	2				
Four Inputs	4				
Six Inputs	6				
Power					
VAC			AC		
VDC			DC		
Relays					
			None	0	
			Two Dry Contact	2D	
			Four Dry Contact	4D	
			Two Solid State	2S	
			Four Solid State	4S	
			*Mix	99	
Outputs					
			None	0	
			Two Active	2A	
			Four Active	4A	
			Two Passive	2P	
			Four Passive	4P	
			Two VDC	2V	
			Four VDC	4V	
			*Mix	99	

* It is possible to "mix" relay and output types... that is, for example, to configure an 8900 Controller with Dry Contact and Solid State relays (consult with your local salesperson or GF Piping Systems for an explanation as to why that might be a good idea). Active, Passive and Voltage outputs may also be mixed. Include the desired mix in Line Item Notes on your order.

GF Piping Systems → worldwide at home

Our sales companies and representatives ensure local customer support in over 100 countries.



GF Piping Systems

2882 Dow Avenue, Tustin, CA 92780-7258
Tel. (714) 731-8800, Toll Free (800) 854-4090
Fax (714) 731-6201
us.ps@georgfischer.com
www.gfpiping.com

Australia

George Fischer Pty Ltd
Riverwood NSW 2210 Australia
Phone +61(0)2 9502 8000
australia.ps@georgfischer.com
www.georgfischer.com.au

Austria

Georg Fischer
Rohrleitungssysteme GmbH
3130 Herzogenburg
Phone +43(0)2782 856 43-0
austria.ps@georgfischer.com
www.georgfischer.at

Belgium/Luxembourg

Georg Fischer NW/SA
1070 Bruxelles/Brüssel
Phone +32(0)2 556 40 20
be.ps@georgfischer.com
www.georgfischer.be

Brazil

George Fischer Ltda
04795-100 São Paulo
Phone +55(0)11 5687 1311
br.ps@georgfischer.com

Canada

Georg Fischer Piping Systems Ltd
Brampton, ON L6T 4E3
Phone +1(905) 792-8005
ca.ps@georgfischer.com
www.gfpiping.ca

China

Georg Fischer
Piping Systems Ltd Shanghai
Pudong, Shanghai 201319
Phone +86(0)21 58 13 33 33
china.ps@georgfischer.com
www.cn.piping.georgfischer.com

Denmark/Iceland

Georg Fischer A/S
2630 Taastrup
Phone +45 (0)70 22 19 75
info.dk.ps@georgfischer.com
www.georgfischer.dk

France

Georg Fischer SAS
95932 Roissy Charles de Gaulle Cedex
Phone +33(0)1 41 84 68 84
fr.ps@georgfischer.com
www.georgfischer.fr

Germany

Georg Fischer GmbH
73095 Albershausen
Phone +49(0)7161 302-0
info.de.ps@georgfischer.com
www.georgfischer.de

India

Georg Fischer Piping Systems Ltd
400 076 Mumbai
Phone +91 224007 2001
in.ps@georgfischer.com
www.georgfischer.in

Italy

Georg Fischer S.p.A.
20063 Cernusco S/N (MI)
Phone +3902 921 861
it.ps@georgfischer.com
www.georgfischer.it

Japan

Georg Fischer Ltd
556-0011 Osaka,
Phone +81(0)6 6635 2691
jp.ps@georgfischer.com
www.georgfischer.jp

Korea

Georg Fischer Piping Systems
Guro-3 dong, Guro-gu, Seoul, Korea
Phone +82(0)2 2081 1450
Fax +82(0)2 2081 1453
kor.ps@georgfischer.com

Malaysia

Georg Fischer (M) Sdn. Bhd.
40460 Shah Alam, Selangor
Phone +60 (0)3 5122 5585
conne.kong@georgfischer.com

Mexico

Georg Fischer S.A. de C.V.
Apodaca, Nuevo Leon
CP66636 Mexico
Phone +52 (81)1340 8586
Fax +52 (81)1522 8906

Middle East

Georg Fischer Piping Systems
Dubai, United Arab Emirates
Phone +971 4 289 49 60
info.export@georgfischer.com
www.export.georgfischer.com

Netherlands

Georg Fischer N.V.
8161 PA Epe
Phone +31(0)578 678 222
nl.ps@georgfischer.com
www.georgfischer.nl

Norway

Georg Fischer AS
1351 Rud
Phone +47(0)67 18 29 00
no.ps@georgfischer.com
www.georgfischer.no

Poland

Georg Fischer Sp. z o.o.
02-226 Warszawa
Phone +48(0)22 313 10 50
poland.ps@georgfischer.com
www.georgfischer.pl

Romania

Georg Fischer
Piping Systems Ltd
020257 Bucharest - Sector 2
Phone +40(0)21 230 53 80
ro.ps@georgfischer.com
www.export.georgfischer.com

Russia

Georg Fischer Piping Systems
Moscow 125047
Tel. +7 495 258 60 80
ru.ps@georgfischer.com
www.georgfischer.ru

Singapore

Georg Fischer Pte Ltd
528 872 Singapore
Phone +65(0)67 47 06 11
sgp.ps@georgfischer.com
www.georgfischer.com.sg

Spain/Portugal

Georg Fischer S.A.
28046 Madrid
Phone +34(0)91 781 98 90
es.ps@georgfischer.com
www.georgfischer.es

Sweden/Finland

Georg Fischer AB
12523 Älvsjö-Stockholm
Phone +46(0)8 506 775 00
info.se.ps@georgfischer.com
www.georgfischer.se

Switzerland

Georg Fischer
Rohrleitungssysteme (Schweiz) AG
8201 Schaffhausen
Phone +41(0)52 631 30 26
ch.ps@georgfischer.com
www.piping.georgfischer.ch

Taiwan

Georg Fischer Piping Systems
San Chung City, Taipei Hsien
Phone +886 2 8512 2822
Fax +886 2 8512 2823

United Kingdom/Ireland

George Fischer Sales Limited
Conventry, CV2 2ST
Phone +44(0)2476 535 535
uk.ps@georgfischer.com
www.georgfischer.co.uk

USA/Latin America/Caribbean

Georg Fischer LLC
Tustin, CA 92780-7258
Phone +1(714) 731 88 00
Toll Free 800 854 40 90
us.ps@georgfischer.com
www.us.piping.georgfischer.com